

**Amendment to the Claims:**

1. (previously presented) A polymer composition comprising  
(A) from 60 to 80 weight percent of a mixture of at least one  
homogeneously branched polyethylene and at least one heterogeneously  
branched polyethylene wherein the mixture of (A) comprises from 40 to 75  
weight percent of the homogeneously branched polyethylene and from 25  
to 60 weight percent of the heterogeneously branched polyethylene, and  
(B) from 20 to 40 weight percent of at least one low density  
polyethylene polymer having a melt strength at least twice that of mixture  
(A).
2. (canceled)
3. (original) The composition of claim 1 wherein the homogeneously  
branched polyethylene is an interpolmer of ethylene and at least one C<sub>3</sub>-C<sub>20</sub>  
alpha-olefin.
4. (original) The composition of claim 1 wherein the heterogeneously  
branched polyethylene has a molecular weight distribution, Mw/Mn, from 3 to 6.
5. (original) The composition of claim 1 wherein the mixture of (A) has a  
melt index, I<sub>2</sub> (ASTM D-1238 condition 190°C/2.16 Kg), from 10 grams/10  
minutes to 30 grams/10 minutes.
6. (original) The composition of claim 1 wherein the mixture of (A) has a  
density (ASTM D-792) of from 0.88 grams/cubic centimeter to 0.92 grams/cubic  
centimeter.
7. (original) The composition of claim 1 wherein the mixture of (A) has at  
least 3 melting peaks on a differential scanning calorimetry curve.
8. (original) The composition of claim 1 wherein the homogeneously  
branched polyethylene has a molecular weight distribution, Mw/Mn, from 1.5 to 3.
9. (original) The composition of Claim 1, wherein the mixture of (A)  
comprises from 50 to 60 weight percent of the homogeneously branched  
polyethylene and from 40 to 50 weight percent of the heterogeneously branched  
polyethylene.
10. (canceled)

11. (previously presented) A film layer made from a polymer composition, the composition comprising

(A) from 60 to 80 weight percent of a mixture of at least one homogeneously branched polyethylene and at least one heterogeneously branched polyethylene wherein the mixture of (A) comprises from 40 to 75 weight percent of the homogeneously branched polyethylene and from 25 to 60 weight percent of the heterogeneously branched polyethylene and

(B) from 20 to 40 weight percent of at least one low density polyethylene polymer having a melt strength at least twice that of mixture (A).

12. (canceled)

13. (original) The film layer of claim 11, wherein the homogeneously branched polyethylene is an interpolymer of ethylene and at least C3-C20 alpha-olefin.

14. (original) The film layer of claim 11, wherein the heterogeneously branched polyethylene has a molecular weight distribution, Mw/Mn, from 3 to 6.

15. (original) The film layer of claim 11, wherein the mixture of (A) has a melt index, I<sub>2</sub> (ASTM D-1238 condition 190°C/2.16 Kg), from 10 grams/10 minutes to 30 grams/10 minutes.

16. (original) The film layer of claim 11, wherein the mixture of (A) has a density (ASTM D-792) of from 0.88 grams/cubic centimeter to 0.92 grams/cubic centimeter.

17. (original) The film layer of claim 11, wherein the mixture of (A) has at least 3 melting peaks on a differential scanning calorimetry curve.

18. (original) The film layer of claim 11, wherein the homogeneously branched polyethylene has a molecular weight distribution, Mw/Mn, from 1.5 to 3.

19. (original) The film layer of claim 11, wherein the mixture of (A) comprises from 50 to 60 weight percent of the homogeneously branched polyethylene and from 40 to 50 weight percent of the heterogeneously branched polyethylene.

20. (original) A fabricated article comprising the film layer of claim 11.

21. (canceled).

22. (original) The film layer of claim 11 further comprising at least one other layer.

23. (canceled).

24. (previously presented) A film comprising at least two layers, one layer being made from a polymer composition, the composition comprising:

(A) a mixture of at least one homogeneously branched polyethylene and at least one heterogeneously branched polyethylene wherein the mixture of (A) comprises from 40 to 75 weight percent of the homogeneously branched polyethylene and from 25 to 60 weight percent of the heterogeneously branched polyethylene and one other layer comprising

(B) at least one other low density polyethylene polymer having a melt strength at least twice that of the mixture of (A).

25. (previously presented) A polymer composition comprising

(A) from 60 to 80 weight percent of an ethylenic polymer having at least three melting peaks on a differential scanning calorimetry curve and

(B) from 20 to 40 weight percent of at least one low density polyethylene polymer having a melt strength at least twice that of (A).

26. (previously presented) The composition of claim 7 wherein the mixture of (A) has only 3 melting peaks on a differential scanning calorimetry curve.

27. (previously presented) The film layer of claim 17, wherein the mixture of (A) has only 3 melting peaks on a differential scanning calorimetry curve.

28. (previously presented) The composition of Claim 1 wherein the homogeneously branched polyethylene has a composition distribution branching index between 80 and 100.